

# Despatch Advice 1.0

## Message Guideline

Element	Name	Req.	Card.	Description	Rule	Example
<b>DespatchAdvice</b>	<b>Despatch advice</b>	<b>M</b>				
cbc:UBLVersionID	UBL version	1	.. 1	Contains the UBL version which the message is based on	NOGOV-T16-R001	2.1
cbc:CustomizationID	Customization identifier	1	.. 1	Identifies the specification of content and rules that apply to the transaction.	BII2-T16-R001	urn:www.cenbii.eu:transaction:biitrns016:ver1.0:extended:urn:www.peppol.eu:bis:peppol30a:ver1.0:extended:urn:www.difi.no:ehf:pakkseddel:ver1.0
cbc:ProfileID	Profile identifier	1	.. 1	Identifies the BII profile or business process context in which the transaction appears.	BII2-T16-R002, EHFPROFILE-T16-R001	urn:www.cenbii.eu:profile:bii30:ver2.0
cbc:ID	Document identifier	1	.. 1	An transaction instance must contain an identifier. The identifier enables positive referencing the document instance for various purposes including referencing between transactions that are part of the same process.	BII2-T16-R003	DA01234
cbc:IssueDate	Despatch advice issue date	1	.. 1	The date when the despatch advice is issued.	BII2-T16-R004, NOGOV-T16-R008	2015-03-07
cbc:IssueTime	Despatch advice issue time	0	.. 1	The time when the despatch advice is issued.		14:05
cbc:Note	Despatch note	0	.. 1	A textual note for the despatch as whole.		
cac:OrderReference	Order Reference	0	.. 1	Reference to the order on which the despatch advice is based	BII2-T16-R005	
cbc:ID	Order reference	1	.. 1	Used to provide a reference to the buyers order on which the despatch is based.	BII2-T16-R005	01
cac:DespatchSupplierParty	Despatching party	1	.. 1	Party who creates the despatch advice on behalf of the seller and is responsible for the physical shipment	BII2-T16-R006	
cac:Party	Sender	1	.. 1	Information regarding the sender	NOGOV-T16-R003	
cbc:EndpointID	Electronic address identifier	0	.. 1	A despatch advice may contain the despatching party electronic address identifier. The address can be of any format and the format should be identified in the message.	OP-T16-R005, NOGOV-T16-R009, NOGOV-T16-R010	123456789
@ schemeID				<i>required</i>	<i>EUGEN-T16-R001</i>	
cac:PartyIdentification	Identification	0	.. 1	Sender identification		
cbc:ID	Despatching party identifier	1	.. 1	The identifier of the despatching party.		
@ schemeID				<i>required</i>	<i>OP-T16-R006, EUGEN-T16-R002</i>	
cac:PartyName	Name	0	.. 1	Sender name		
cbc:Name	Despatching party name	1	.. 1	The name of the despatching party	BII2-T16-R007	Selgeren AS

Req: M=Mandatory, O=Optional, R=Recommended

# Despatch Advice 1.0

## Message Guideline

Element	Name	Req.	Card.	Description	Rule	Example
<b>cac:Contact</b>	Contact	0 .. 1		Contact information regarding sender		
<b>cbc:Name</b>	Contact person name	0 .. 1		The name of the contact person.		
<b>cbc:Telephone</b>	Contact telephone number	0 .. 1		A phone number for the contact person. If the person has a direct number, this is that number.		
<b>cbc:Telefax</b>	Contact fax number	0 .. 1		A fax number for the contact persons.		
<b>cbc:ElectronicMail</b>	Contact email address	0 .. 1		The e-mail address for the contact person. If the person has a direct e-mail this is that email.		
<b>cac:DeliveryCustomerParty</b>	Receiver	1 .. 1		Receiver of the despatch advice on behalf of the buyer. Responsible for the physical reception and approval of the goods	BII2-T16-R008	
<b>cac:Party</b>	Receiver	1 .. 1		Information regarding the receiver	NOGOV-T16-R004	
<b>cbc:EndpointID</b>	Consignee party identifier	0 .. 1		A despatch advice may contain the despatching party electronic address identifier. The address can be of any format and the format should be identified in the message.	OP-T16-R005, NOGOV-T16-R009, NOGOV-T16-R010	
@ schemeID			<i>required</i>		<i>EUGEN-T16-R001</i>	
<b>cac:PartyIdentification</b>	Identification	0 .. 1		Receiver identification		
<b>cbc:ID</b>	Consignee party identifier	1 .. 1		The receiving party identifier.	BII2-T16-R009	
@ schemeID			<i>required</i>		<i>OP-T16-R006, EUGEN-T16-R002</i>	
<b>cac:PartyName</b>	Name	0 .. 1		Receiver name		
<b>cbc:Name</b>	Consignee party name	1 .. 1		The name of the receiving party.	BII2-T16-R009	
<b>cac:PostalAddress</b>	Address	0 .. 1		The address to where the goods is shipped		
<b>cbc:ID</b>	Consignee party address identifier	0 .. 1		An identifier for a specific address within a scheme of registered addresses. Identifying the address to where the items have been despatched.		
@ schemeID			<i>optional</i>			
@ schemeAgencyID			<i>optional</i>			
@ schemeAgencyName			<i>optional</i>			
<b>cbc:StreetName</b>	Address line 1	0 .. 1		The main address line in a postal address usually the street name and number.		
<b>cbc:AdditionalStreetName</b>	Address line 2	0 .. 1		An additional address line in a postal address that can be used to give further details supplementing the main line. Common use are secondary house number in a complex or in a building.		

Req: M=Mandatory, O=Optional, R=Recommended

# Despatch Advice 1.0

## Message Guideline

Element	Name	Req.	Card.	Description	Rule	Example
	cbc:CityName	City	0 .. 1	The common name of the city where the postal address is. The name is written in full rather than as a code.		
	cbc:PostalZone	Post code	0 .. 1	The identifier for an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code.		
	cbc:CountrySubentity	Country subdivision	0 .. 1	For specifying a region, county, state, province etc. within a country by using text.		
	cac:Country	Country	0 .. 1	Country code		
	cbc:IdentificationCode	Country code	1 .. 1	The country where the address is. The country should always be given by using ISO code 3166 alpha 2	OP-T16-R001, NOGOV-T16-R002	
	@ listID		<i>optional</i>		EUGEN-T16-R003	
	cac:DeliveryContact	Contact	0 .. 1	Contact information regarding the receiver		
	cbc:Name	Contacting details	0 .. 1	The name of the contact person.		
	cbc:Telephone	Contact telephone number	0 .. 1	A phone number for the contact person. If the person has a direct number, this is that number.		
	cbc:Telefax	Contact fax number	0 .. 1	A fax number for the contact persons.		
	cbc:ElectronicMail	Contact email address	0 .. 1	The e-mail address for the contact person. If the person has a direct e-mail this is that email.		
	cac:BuyerCustomerParty	Buyer	0 .. 1	Information regarding the buyer who is commercially responsible for the goods in the despatch advice		
	cac:Party	Buyer	1 .. 1	Information regarding the buyer	NOGOV-T16-R005	
	cac:PartyIdentification	Identification	0 .. 1	Buyer identification		
	cbc:ID	Buying party identifier	1 .. 1	The buying party identifier		987654321
		@ schemeID		<i>required</i>		OP-T16-R006, EUGEN-T16-R002
	cac:PartyName	Name	0 .. 1	Buyer name		
	cbc:Name	Buying party name	1 .. 1	The name of the buying party		Kjøperen ASA
	cac:SellerSupplierParty	Seller	0 .. 1	Information regarding the seller		
	cac:Party	Seller	1 .. 1	Seller information		
	cac:PartyIdentification	Identification	0 .. 1	Seller identification		
	cbc:ID	Selling party identifier	1 .. 1	An identifier for the seller party.		123456789
		@ schemeID		<i>required</i>		OP-T16-R006, EUGEN-T16-R002
	cac:PartyName	Name	0 .. 1	Seller name		

Req: M=Mandatory, O=Optional, R=Recommended

# Despatch Advice 1.0

## Message Guideline

Element	Name	Req.	Card.	Description	Rule	Example
└─cbc:Name	Selling party name	1	.. 1	The seller party name.		Selgeren AS
└─cac:Contact	Contact	0	.. 1	Contact information regarding the seller		
└─cbc:Name	Contact person name	0	.. 1	The name of the contact person.		Hans Hansen
└─cbc:Telephone	Contact telephone number	0	.. 1	A phone number for the contact person. If the person has a direct number, this is that number.		
└─cbc:Telefax	Contact fax number	0	.. 1	A fax number for the contact persons.		
└─cbc:ElectronicMail	Contact email address	0	.. 1	The e-mail address for the contact person. If the person has a direct e-mail this is that email.		hans.hansen@selgeren.no
└─cac:OriginatorCustomerParty	Originator	0	.. 1	Information regarding the originator of the purchase order in the buyers organisation		
└─cac:Party	Originator	1	.. 1	Originator information	NOGOV-T16-R006	
└─cac:PartyIdentification	Identification	0	.. 1	Originator identification		
└─cbc:ID	Originating party identifier	1	.. 1	The originator party identifier.		
└─@ schemeID			required		OP-T16-R006, EUGEN-T16-R002	
└─cac:PartyName	Name	0	.. 1	Originator name		
└─cbc:Name	Originating party name	1	.. 1	The originator party name.		
└─cac:Shipment	Shipment	0	.. 1	Shipment information		
└─cbc:ID	Shipment identifier	1	.. 1	Identifies a shipment.	BII2-T16-R011	SHIP32164
└─@ schemeID			optional			
└─@ schemeAgencyID			optional			
└─@ schemeAgencyName			optional			
└─cbc:Information	Shipment description	0	.. 1	Free-form text applying to a shipment. This element may contain notes or any other similar information that is not contained explicitly in another structure.		
└─cbc:GrossWeightMeasure	Shipment gross weight	0	.. 1	The total weight of the shipment including packaging, as dispatched from the despatching party.		100
└─@ unitCode			required			
└─cbc:GrossVolumeMeasure	Shipment gross volume	0	.. 1	The total volume of the shipment including packaging, as dispatched from the despatching party.		
└─@ unitCode			required			
└─cbc:TotalTransportHandlingUnitQuantity	Total number of transport handling units	0	.. 1	The total number of transport handling units in this despatch.		

Req: M=Mandatory, O=Optional, R=Recommended

# Despatch Advice 1.0

## Message Guideline

Element	Name	Req.	Card.	Description	Rule	Example
<b>cac:Consignment</b>	Consignment	0	.. 1	Information regarding the physical shipment		
<b>cbc:ID</b>	Consignment identifier	1	.. 1	An association to Consignment covering the shipment. Unique number assigned to goods, both for import and export.		CSM9999
@ schemeID			<i>optional</i>			
@ schemeAgencyID			<i>optional</i>			
@ schemeAgencyName			<i>optional</i>			
<b>cbc:Information</b>	Vehicle description	0	.. 1	Description and/or identification of the vehicle that transports the despatched shipment.		AB12345
<b>cac:CarrierParty</b>	Carrier	0	.. 1	Carrier information		
<b>cac:PartyName</b>	Name	0	.. 1	Carrier name		
<b>cbc:Name</b>	Carrier name	1	.. 1	The name of the carrier that handles the delivery of the despatched shipment.		AS Transportøren
<b>cac:Person</b>	Person	0	.. 1	Person who performs the physical shipment		
<b>cac:IdentityDocumentReference</b>	Identification	1	.. 1	Identification of the person responsible for the transportation	NOGOV-T16-R007	
<b>cbc:ID</b>	Driver information	1	.. 1	Identification about the driver of the vehicle that delivers the despatched shipment.		
<b>cbc:DocumentType</b>	Driver identification document type	0	.. 1	The type of document used for identifying the driver, expressed in text.		
<b>cac:Delivery</b>	Delivery	0	.. 1	Details regarding the shipment		
<b>cbc:TrackingID</b>	Delivery tracking identifier	0	.. 1	Used to provide a tracking id for delivery e.g. UPS or postal.		TR321654987
<b>cac:EstimatedDeliveryPeriod</b>	Delivery period	0	.. 1	Expected delivery period		
<b>cbc:StartDate</b>	Period start date	0	.. 1	The start date of the period	NOGOV-T16-R008	2015-03-08
<b>cbc:StartTime</b>	Period start time	0	.. 1	The start time of the period.		08:00
<b>cbc:EndDate</b>	Period end date	0	.. 1	The end date of the period.	NOGOV-T16-R008	2015-03-08
<b>cbc:EndTime</b>	Period end time	0	.. 1	The end time of the period.		10:00
<b>cac:Despatch</b>	Despatch	0	.. 1	Despatch details		
<b>cbc:ActualDespatchDate</b>	Shipment dispatch date	0	.. 1	The actual or expected date when the shipment was despatched from the despatching party.	NOGOV-T16-R008	2015-03-08
<b>cbc:ActualDespatchTime</b>	Shipment dispatch time	0	.. 1	The actual or expected time when the shipment was despatched from the despatching party.		
<b>cac:DespatchAddress</b>	Pickup address	0	.. 1	Address where the goods is going to be picked up		
<b>cbc:ID</b>	Address identifier	0	.. 1	Identifier of a specific address in a register of addresses such as GLN		

Req: M=Mandatory, O=Optional, R=Recommended

# Despatch Advice 1.0

## Message Guideline

Element	Name	Req.	Card.	Description	Rule	Example	
	cbc:StreetName		0 .. 1	The main address line in a postal address usually the street name and number.			
	cbc:AdditionalStreetName		0 .. 1	An additional address line in a postal address that can be used to give further details supplementing the main line. Common use are secondary house number in a complex or in a building.			
	cbc:CityName		0 .. 1	The common name of the city where the postal address is. The name is written in full rather than as a code.			
	cbc:PostalZone		0 .. 1	The identifier for an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code.			
	cbc:CountrySubentity	Country subdivision		0 .. 1	For specifying a region, county, state, province etc. within a country by using text.		
	cac:Country	Country		0 .. 1	Country code		
	cbc:IdentificationCode		1 .. 1	The country where the address is. The country should always be given by using ISO code 3166 alpha 2	OP-T16-R001, NOGOV-T16-R002		
	@ listID		<i>optional</i>		EUGEN-T16-R003		
cac:DespatchLine	Despatch lines		1 .. unbounded	The goods contained in the despatch advice	BII2-T16-R012		
	cbc:ID		1 .. 1	A identifier for the individual line in the despatch advice.	BII2-T16-R013	1	
	cbc:Note		0 .. 1	General note regarding the despatch advice line. Free-form text applying to the Despatch Line. This element may contain notes or any other similar information that is not contained explicitly in another structure.			
	cbc:DeliveredQuantity	Delivered quantity	1 .. 1	The quantity that is despatched in the line.	BII2-T16-R017, BII2-T16-R019	10	
	@ unitCode		<i>required</i>		BII2-T16-R020, OP-T16-R002		
	@ unitCodeListID		<i>optional</i>		EUGEN-T16-R004		
	cbc:OutstandingQuantity	Outstanding quantity	0 .. 1	The quantity outstanding (which will follow in a later shipment).			
	@ unitCode		<i>required</i>		OP-T16-R002		
	@ unitCodeListID		<i>optional</i>		EUGEN-T16-R004		
	cbc:OutstandingReason	Outstanding quantity reason	0 .. 1	The reason for the outstanding quantity.	BII2-T16-R021		
	cac:OrderLineReference	Order line	1 .. 1	Reference to the order line the despatch line contains			

Req: M=Mandatory, O=Optional, R=Recommended

# Despatch Advice 1.0

## Message Guideline

Element	Name	Req.	Card.	Description	Rule	Example
cbc:LineID	Order line reference	1	.. 1	To uniquely identify the line of the order that is being despatched.		2
cac:Item	Item	1	.. 1	Item information regarding the goods in the despatch advice line		
cbc:Name	Item name	0	.. 1	A short name for an item.	BII2-T16-R016	Fotopapir A4 Glossy
cac: SellersItemIdentification	Part number	0	.. 1	Sellers partnumber		
cbc:ID	Item sellers identifier	1	.. 1	The sellers identifier for the item.	BII2-T16-R016	C98765
cbc:ExtendedID	Item sellers extended identifier	0	.. 1	An extended identifier for the item that identifies the item with specific properties, e.g., Item 123 = Chair / Item 123 Ext 45 = brown chair.		
cac: StandardItemIdentification	Standard partnumber	0	.. 1	Identification according to a standard system, ie. GTIN		
cbc:ID	Item standard identifier	1	.. 1	A item identifier based on a registered schema.	BII2-T16-R016	
@ schemeID			optional		BII2-T16-R018	
@ schemeAgencyID			optional			
@ schemeAgencyName			optional			
cbc:ExtendedID	Item standard extended identifier	0	.. 1	with specific properties, e.g., Item 123 = Chair / Item 123 Ext 45 = brown chair.		
cac: HazardousItem	Hazardous item	0	.. unbounded	Information to be used if the despatch line contains hazardous goods		
cbc:UNDGCode	Hazardous item UNDG code	0	.. 1	The identifier assigned to transportable hazardous goods by the United Nations, expressed as a code.	OP-T16-R003	
@ listID			required		EUGEN-T16-R005	
cbc: HazardClassID	Hazardous hazard class Identifier	0	.. 1	Identifies a hazard class applicable to dangerous goods as defined by the relevant regulation authority, such as the IMDG Class Number of the SOLAS Convention of IMO and the ADR/RID Class Number for the road/rail environment.		
@ schemeID			optional			
@ schemeAgencyID			optional			
@ schemeAgencyName			optional			
cac: ItemInstance	Item details	0	.. unbounded	Detailed information regarding the goods on the despatch advice line		
cbc: ManufactureDate	Item manufactured date	0	.. 1	The manufacturing date of all items listed in this despatch line.	NOGOV-T16-R008	
cbc: BestBeforeDate	Item best before date	0	.. 1	The best before date of all items listed in this despatch line.	NOGOV-T16-R008	

Req: M=Mandatory, O=Optional, R=Recommended

# Despatch Advice 1.0

## Message Guideline

Element	Name	Req.	Card.	Description	Rule	Example
<ul style="list-style-type: none"> <li>— <b>cbc:SerialID</b></li> <li>— @ schemeID</li> <li>— @ schemeAgencyID</li> <li>— @ schemeAgencyName</li> </ul>	Item serial numbers	0	.. 1	Serial numbers for items listed in the despatch line.		
			<i>optional</i>			
			<i>optional</i>			
			<i>optional</i>			
<ul style="list-style-type: none"> <li>— <b>cac:LotIdentification</b></li> <li>— <b>cbc:LotNumberID</b></li> <li>— @ schemeID</li> <li>— @ schemeAgencyID</li> <li>— @ schemeAgencyName</li> </ul>	LOT	0	.. 1	LOT number identification		
	Item batch number	0	.. 1	The batch number that applies to all items in the despatch line.		
			<i>optional</i>			
			<i>optional</i>			
<ul style="list-style-type: none"> <li>— <b>cbc:ExpiryDate</b></li> </ul>	Item expiry date	0	.. 1	The expiry date of all items listed in this despatch line. The expiry date indicates that the items should not be used after this date.	NOGOV-T16-R008	
<ul style="list-style-type: none"> <li>— <b>cac:Shipment</b></li> <li>— <b>cbc:ID</b></li> <li>— <b>cac:TransportHandlingUnit</b></li> <li>— <b>cbc:ID</b></li> <li>— @ schemeID</li> <li>— @ schemeAgencyID</li> <li>— @ schemeAgencyName</li> </ul>	Packing	0	.. 1	Information regarding how the goods in the despatch advice line is packed		
	Identifier	1	.. 1	Shipment identifier is only identified on header level. On line level use "NA".		
	Transport handling unit	0	.. unbounded	Information regarding the physical packing (pallet, container, box, etc) of the goods on the despatch advice line		
	Handling unit identifier	0	.. 1	Identifies the transport handling unit.	OP-T16-R004	
<ul style="list-style-type: none"> <li>— @ schemeID</li> <li>— @ schemeAgencyID</li> <li>— @ schemeAgencyName</li> </ul>			<i>optional</i>			
			<i>optional</i>			
			<i>optional</i>			
			<i>optional</i>			
<ul style="list-style-type: none"> <li>— <b>cbc:TransportHandlingUnitTypeCode</b></li> <li>— @ listID</li> </ul>	Handling unit type	0	.. 1	The type of packaging that represent the handling unit, such as box, pallet, container etc.		
			<i>optional</i>		EUGEN-T16-R006	
<ul style="list-style-type: none"> <li>— <b>cbc:HazardousRiskIndicator</b></li> </ul>	Handling unit hazardous indicator	0	.. 1	Indicates whether the shipment contains hazardous materials.		
<ul style="list-style-type: none"> <li>— <b>cbc:ShippingMarks</b></li> </ul>	Handling unit shipping marks	0	.. 1	Free-form description of the marks and numbers on a transport unit or package.		
<ul style="list-style-type: none"> <li>— <b>cac:MeasurementDimension</b></li> </ul>	Weight/volume	0	.. unbounded	Information regarding weight/volume of the transport handling unit		

Req: M=Mandatory, O=Optional ,R=Recommended



# Despatch Advice 1.0

## Message Guideline

Element	Name	Req.	Card.	Description	Rule	Example
cbc:AttributeID	Attribute identifier	1	.. 1	Identifier for content in the MEasue element below according to codelist UNCL6313. Use AAB and AAW for gross weight and gross volume respectively		
	@ schemeID			<i>optional</i>		
cbc:Measure	Handling unit gross weight	0	.. 1	Handling gross weight, including packaging as despatched by despatching party.	OP-T16-R007	
	Handling unit gross volume			Handling gross volume, including packaging as despatched by despatching party.	OP-T16-R007	
@ unitCode				<i>required</i>	OP-T16-R002	

Req: M=Mandatory, O=Optional ,R=Recommended